

**PAPER AND ENVELOPES INVITATION FOR BID
UNITED STATES GOVERNMENT PRINTING OFFICE
PAPER PROCUREMENT SECTION
Washington, DC 20401
AUGUST 1, 2000**

1. Bids for Paper and Envelopes, for the six-months contract beginning October 1, 2000, shall be publicly opened at the U.S. Government Printing Office, Washington, DC, on September 7, 2000, 10 A.M., Carl Hayden Room.
2. This Invitation for Bid (IFB) contains requirements for furnishing blank paper and blank envelopes for public printing and binding, and the Government departments and establishments, during the period of six-months beginning October 1, 2000, and ending March 31, 2001.
3. Paper Procurement Section - Contract Terms and Conditions (T&C) dated August 1, 2000, (attached), has been incorporated in this Invitation for Bid and should be retained for reference.
4. The Paper and Envelope Specifications; Standard Samples and Drawings; Testing Standards and Definition of Terms; and Acceptance Criteria, pertaining to the Paper and Envelopes procurements referenced in this Invitation for Bid, are contained in the Government Paper Specification Standards, Number 11, (No. 11) dated February, 1999. (*Note, pages 3 through 7 describe exceptions to the JCP specifications that apply to this IFB.*)
5. Government Paper Specification Standards, Number 11, dated February 1999, is available for sale from the Superintendent of Documents for \$11 (Stock Number 021-000-00174-1), by calling 202-512-1800, or Fax your order to 202-512-2250. They can also be viewed on the Internet by accessing "www.access.gpo.gov", or "www.gpo.gov/qualitycontrol/". *NOTE: Throughout the Government Paper Specification Standards, Number 11, some numbers, particularly color coordinates and size tolerances, are preceded by a centered dot (Example: $b^* = \cdot 2.0$). This is to be interpreted as a minus sign(-). Additionally, the following expressions "DE(CIELAB)-0.5 and DE(CIELAB)-3.0" are to be interpreted as "DE(CIELAB)=0.5 and DE(CIELAB)=3.0", respectively. In this IFB, the ENTIRE specification standard referenced in the Government Paper Specification Standards book applies. That is, all requirements ABOVE and BELOW the horizontal black line in the center of the specification are applicable. NOTE: Option A of the specifications does not apply to this Invitation for Bid except where notated on the lot description.*
6. Bid Bond (Standard Form 24), Pages 47- 48, must be completed and returned with bid.
7. Bid and Acceptance Form, Page 49, must be completed and returned with the bid.
8. For lot numbers 269b through 270k, the Qualified Products Lists apply. There is a list for Executive Order (EO) 13101 compliant copy paper and one for EO 13101 non-compliant paper. See Page 33 for the latest listings. The compliant QPL list can be viewed on the internet at the website listed in paragraph 5.
9. Specifications for lot numbers 474, 477, and 478, are contained on Page 31.
10. GPO Warehouses Addresses. - Laurel Complex, MMS, 8660 Cherry Lane, Door 6, Laurel, MD 20707, Receiving hours: 7:00 A.M. - 3:30 P.M. Washington Warehouse No. 4, First and G Streets NE, Washington, DC 20401, Receiving hours: 8:30 A.M. - 2:30 P.M. Call phone number (301) 498-0526 for destination and scheduling unless a specific GPO warehouse address is state. If a specific warehouse is indicated, call that warehouse phone number for an appointment.

11. A new lot has been added - Lot 450, White Kraft Envelopes. The two apparent low bidders will be notified and required to submit a carton of manufactured outturn sample envelopes (with adhesive). Samples will be tested and the contractor will be notified of approval or disapproval within 10 days after receipt of samples in GPO. See specifications on page 30 for details.
12. Lot 5 - Change minimum order from: 10,000 kg (20,000 pounds), to: minimum order, one size, 10,000 kg (20,000 pounds), minimum lot shipment 20,000 kg (40,000 pounds).
13. Lot 13 - Change minimum order from: 10,000 kg (20,000 pounds), to: minimum order, one size, 10,000 kg (20,000 pounds), minimum lot shipment 20,000 kg (40,000 pounds).
14. Lot 14 - Change minimum order from: 40,000 pounds, to: minimum order, one size, 10,000 kg (20,000 pounds), minimum lot shipment 20,000 kg (40,000 pounds).
15. Lot 15 - Change minimum order from: 40,000 pounds, to: minimum order, one size, 10,000 kg (20,000 pounds), minimum lot shipment 20,000 kg (40,000 pounds).
16. Lot 17 - Change minimum order from: 40,000 pounds, to: minimum order, one size, 10,000 kg (20,000 pounds), minimum lot shipment 20,000 kg (40,000 pounds).
17. Lot 19a - Change minimum order from: 40,000 pounds, to: minimum order 20,000 pounds.
18. Lot 326a - Change minimum order from: 1,200,000 sheets, to: 600,000 sheets.
19. Lot 129 - New drawing for Watermark (Style G) has been added. Refer to page 32.

SPECIFICATIONS FOR GPO PAPER AND ENVELOPE LOTS

Paper and envelopes described in this IFB are required to match a Government standard sample for color. The tolerance permitted for a color match varies with the grade of paper and is stated below. The “white” color standards have been coded B through F while colors are designated as “business colors” or “vellum colors”.

To obtain additional information about the Government’s standard samples program or to obtain sheets of the physical sample for these colors, contact the COTR. The standard samples program is also described in greater detail in part 3 of the Government Paper Specification Standards, No. 11 Book, or E-mail ssubt@gpo.gov or by phone, (202) 512-0782.

The table below lists the association between GPO paper and envelope lot numbers and the applicable specification in the No. 11 standards book. Any clarifications and/or deviations from the referenced specification standard (parts 1 and 3) such as tolerances or drawings and whether the precision acceptance criteria (part 4) are applicable, are included in this table.

Lot Number(s)	Specification Requirements	Color Standard Code
2	Newsprint Use A10, precision acceptance criteria apply	*
5	Heat-set Web Offset Machine-finish Book Use A25, precision acceptance criteria apply for color.	B
7	Machine-finish Book End Use A50, SAE(1) brightness (target brightness shall be 72 pct.)	C
13, 14, 15.	Heat-set Web Offset Book Use A55, precision acceptance criteria apply for color.	B
16, 16b, 17, 17a, 18, 18a, 18b, 19a, 21, 21a, 21d, 21e, 21f, 22.	Offset Book Use A60 Lots 16, 17, 19a, 21, 21a, 21f, 22 - precision acceptance criteria apply for color. Lots 16b, 17a, 18, 18a, 18b, 21d, 21e - SAE(1) pick resistance and color (Pick test, no specimen shall be less than 10-A; the target brightness of the paper is 82 pct. and color deviation from the Government standard not to exceed DE=3.0.)	B
24a, 24b.	Opacified Offset Book Use A80	B
28	Antique Book Use A100, SAE(1) brightness (target brightness shall be 72 pct.)	C
30	50 pct. Antique Book Use A110, SAE(1) brightness (target brightness shall be 72 pct.), precision acceptance criteria apply for acidity.	C
34	50 pct. Laid-Antique Book Use A120, SAE(1) brightness (target brightness shall be 72 pct.), precision acceptance criteria apply for acidity.	C

Lot Number(s)	Specification Requirements	Color Standard Code
47	Litho (Gloss) Coated Book Use A180	D
48	Water-Resistant (Text) Book Use A220, SAE ⁽¹⁾ brightness (target brightness shall be 72 pct.)	C
50, 50a.	Matte Coated Offset Book Use A240	D
51	Dull Coated Offset Book Use A260	D
69	Writing, White and Colored Use D10	“business colors” ⁽²⁾
87	100 pct. Fine Writing Use D50, precision acceptance criteria apply for acidity and color.	D
90	50 pct. Map, Lithographic-finish Use E10, precision acceptance criteria apply for equilibrium relative humidity, acidity, thickness, and smoothness.	E
92b	High Wet Strength Map, Lithographic-finish Use E20, precision acceptance criteria apply for equilibrium relative humidity, thickness, and smoothness.	F
93b	Offset Map, Lithographic-finish Use E30, precision acceptance criteria apply for equilibrium relative humidity, acidity, thickness, and smoothness.	D
94	Chemical Wood Map, Lithographic-finish Use E40, precision acceptance criteria apply for equilibrium relative humidity, acidity, thickness, and smoothness.	F
95	50 pct. Chart, Lithographic-finish Use E50, precision acceptance criteria apply for equilibrium relative humidity, acidity, thickness, and smoothness.	E
108	Bond Use G10	B
126	25 pct. Translucent Bond Use G50, precision acceptance criteria apply for acidity.	E
128, 128a, 129.	Recycled 25 pct. Bond, White and Colored Use G45, SAE ⁽¹⁾ acidity and watermark (pH, average, not less than 6.5 pH units: watermark shall match Style D for lots 128 and 128a and Style G for lot 129), precision acceptance criteria apply for acidity.	B

Lot Number(s)	Specification Requirements	Color Standard Code
130, 131.	50 pct. Bond Use G70, SAE ⁽¹⁾ finish and watermark (finish shall be a light cockle-finish; watermark shall match Style E), precision acceptance criteria apply for acidity.	B
135	100 pct. Parchment Deed Use H10, precision acceptance criteria apply for acidity.	E
137	Cream-white 100 pct. Diploma Parchment, Smooth-finish Use H40, precision acceptance criteria apply for acidity.	cream white
138	Cream-white 100 pct. Artificial Parchment Use H20, precision acceptance criteria apply for acidity.	cream white
140	Imitation Parchment, Laser-finish, White, Natural, and Colored Use H30, Option A.	As specified or commercial
148, 149, 150, 151, 152.	Ledger, White and Colored Use J10	B and "business colors" ⁽²⁾
180, 182a, 182b, 183, 185, 185a, 191, 192.	Index, White and Colored Use K10	B and "business colors" ⁽²⁾
188a, 189, 190.	25 pct. Index, White and Colored Use K20, precision acceptance criteria apply for acidity.	E
200	Litho (Gloss) Coated Cover Use L10	D
202, 203, 206.	Vellum-finish Cover, White and Colored Use L20, SAE ⁽¹⁾ acidity and color deviation (pH, average, not less than 6.5 pH units for white stock; color deviation shall not exceed DE (CIELAB)=3.0.)	D and "vellum colors" ⁽³⁾
210	Matte Coated Cover Use L50	D
212	Dull Coated Cover Use L60	D
219a, 219c, 219d, 220f.	No. 2 Kraft Use N10	* or commercial
268	Masking, Photolithographic (Coated) Use O-50	*

Lot Number(s)	Specification Requirements	Color Standard Code
269b, 269c, 269d, 269g, 269h, 269i, 269j, 269k, 270, 270a, 270b, 270c, 270d, 270e, 270f, 270g, 270h, 270i, 270j, 270k.	Plain Copier, Xerographic, White and Colored Use O-65, precision acceptance criteria apply for all properties except, as noted in the body of the specification standard. Lots 270 through 270k - SAE ⁽¹⁾ recycled fiber content (postconsumer fiber not required).	B or commercial
301, 302, 303.	Railroad Board, White and Colored Use Q20	* or as specified
326a	United States Postal Card Use Q60, precision acceptance criteria apply for all properties except as noted in the body of the specification standard.	*
352	Pressboard, Colored (Type 1) Use R11	* or as specified
360a, 360c.	Newsboard Use R20	* or commercial
366a, 366b, 366d, 366e, 366f, 367, 367a, 368.	Book Cover Board Use R30	* or commercial
408, 414, 415, 421, 422, 424, 425, 426 430, 432, 445.	Light-colored Brown (Kraft Shade) Envelopes Use V10 Lots 408 through 422, 430, 445 - Style A construction. Lot 424 - Style A construction with 89 mm (3-1/2 inch flap). Lot 425 - Style C construction with square 44 mm (1-3/4 inch) flap. Lot 426 - Style A construction with 127 mm (5 inch) flap. Lot 432 - Style C construction with 127 mm (5 inch) flap, SAE ⁽¹⁾ recycled fiber content (shall contain 100 pct. recovered fiber).	* or commercial
450	White Kraft Envelopes (with latex self-seal adhesive) Use specification in IFB.	* or commercial
455, 459.	25 pct. Bond Envelopes Use V40, Style A construction.	* or commercial
474, 477, 478.	100 pct. White Writing Envelopes Style A construction. Use specification in IFB.	
479, 480, 482, 482b, 482c, 487.	Writing Envelopes, White, Colored, and Window Use V20 Lots 479 through 482c - Style A construction. Lot 487 - Style A and Window construction, SAE ⁽¹⁾ color (color match to Government standard sample not required.)	* or commercial

Lot Number(s)	Specification Requirements	Color Standard Code
481, 481b, 488.	Writing Envelopes, White, Colored, and Window Use V20 Lot 481 - Style A construction. Lot 481b - Style C construction. Lot 488 - Style A and window construction.	B
491, 491a, 494.	Tyvek Envelopes, Flat and Gusseted (with latex self-seal) Use V90 Lots 491, 491a - flat construction and latex self-seal pressure sensitive adhesive. Lot 494 - Gusset construction and release removable strip over adhesive.	* or commercial

* Contact CO or COTR.

(1) SAE means "Same as except".

(2) Issuance date of standard sample for "business colors":

blue	dated August 1, 1994
buff	dated August 1, 1994
green	dated August 1, 1994
pink	dated August 1, 1994
salmon	dated August 1, 1994
yellow	dated August 1, 1994

(3) Issuance date of standard sample for "vellum colors":

dutch blue.....	dated August 1, 1982
venice blue.....	dated May 1, 1982
killarney green.	dated May 1, 1982
victoria green...	dated August 1, 1982
canary yellow...	dated August 1, 1982
sun orange.....	dated August 1, 1982
vermillion.....	dated August 1, 1982
peach tan.....	dated August 1, 1982
saddle tan.....	dated August 1, 1977
pecan brown	dated August 1, 1977
light gray.....	dated August 1, 1982
sand gray.....	dated August 1, 1982
brown	Call COTR

MINIMUM CONTENT STANDARD FOR GPO PAPER AND ENVELOPE LOTS

The table below summarizes the recycled fiber content of each lot of paper and envelope specified in the IFB. Generally, the recovered and/or postconsumer fiber/material content follows the Government Paper Specification Standards, No. 11 Book. In some instances, the GPO requires a minimum content that is different from what is stated in No. 11 standards book. The minimum content requirements in this table are mandatory for all paper and envelope lots specified in the IFB.

Lot Number(s)	Minimum Pct. Recovered Materials Including Cotton/Linen	Minimum Pct. Postconsumer Fiber/Material	Description Of Paper/Envelopes	JCP Code
2		40	Newsprint	A10
5		30	Heat-set Web Offset Machine-finish Book	A25
7		30	Machine-finish Book End	A50
13, 14, 15.		30	Heat-set Web Offset Book	A55
16, 16b, 17, 17a, 18, 18a, 18b, 19a, 21, 21a, 21d, 21e, 21f, 22.		30	Offset Book	A60
24a, 24b.		30	Opacified Offset Book	A80
28		30	Antique Book	A100
30	50		50 pct. Antique Book	A110
34	50		50 pct. Laid-Antique Book	A120
47		10	Litho (Gloss) Coated Book	A180
48		30	Water-Resistant (Text) Book	A220
50, 50a.		10	Matte Coated Offset Book	A240
51		10	Dull Coated Offset Book	A260
69		30	Writing, White and Colored	D10
87	100		100 pct. Fine Writing	D50
90	50		50 pct. Map, Lithographic-finish	E10
92b		20	High Wet Strength Map, Lithographic-finish	E20
93b		30	Offset Map, Lithographic-finish	E30
94		20	Chemical Wood Map, Lithographic-finish	E40
95	50		50 pct. Chart, Lithographic-finish	E50

Lot Number(s)	Minimum Pct. Recovered Materials Including Cotton/Linen	Minimum Pct. Postconsumer Fiber/Material	Description Of Paper/Envelopes	JCP Code
108		30	Bond	G10
126	25		25 pct. Translucent Bond	G50
128 ¹ , 128a ¹ .	25 ²	30	Recycled 25 pct. Bond, White and Colored	G45
129 ^{3, 4}	70	30	Recycled 100 pct. Bond, White and Colored	G45
130, 131.	50 ²	30	50 pct. Bond	G70
135	100		100 pct. Parchment Deed	H10
137	100		Cream-white 100 pct. Diploma Parchment, Smooth-finish	H40
138	100		Cream-white 100 pct. Artificial Parchment	H20
140 ⁴		30	Imitation Parchment, Laser-finish, White, Natural, and Colored	H30
148, 149, 150, 151, 152.		30	Ledger, White and Colored	J10
180, 182a, 182b, 183, 185, 185a, 191, 192.		20	Index, White and Colored	K10
188a ⁴ , 189 ⁴ , 190 ⁴ .	25 ²	20	25 pct. Index, White and Colored	K20
200		10	Litho (Gloss) Coated Cover	L10
202, 203, 206.		30	Vellum-finish Cover, White and Colored	L20
210		10	Matte Coated Cover	L50
212		10	Dull Coated Cover	L60
219a, 219c, 219d, 220f.		5	No. 2 Kraft	N10
268 ⁴		10	Masking, Photolithographic (Coated)	O-50
269b, 269c, 269d, 269g, 269h, 269i, 269j, 269k.		30	Plain Copier, Xerographic, White and Colored	O-65

Lot Number(s)	Minimum Pct. Recovered Materials Including Cotton/Linen	Minimum Pct. Postconsumer Fiber/Material	Description Of Paper/ Envelopes	JCP Code
270, 270a, 270b, 270c, 270d, 270e, 270f, 270g, 270h, 270i, 270j, 270k.	N/A	N/A	Plain Copier, Xerographic, White and Colored	O-65
301, 302, 303.	65	15	Railroad Board, White and Colored	Q20
326a		20	United States Postal Card	Q60
352 ¹	30	20	Pressboard, Colored (Type I)	R11
360a, 360c.		80	Newsboard	R20
366a, 366b, 366d, 366e, 366f, 367, 367a, 368.		80	Book Cover Board	R30
408, 414, 415, 421, 422, 424, 425, 426, 430, 445		20	Light-colored Brown (Kraft Shade) Envelopes	V10
432 ⁴	100		Light-colored Brown (Kraft Shade) Envelopes	V10
450		20	White Kraft Envelopes (with latex self-seal adhesive)	----
455, 459.	25		25 pct. Bond Envelopes	V40
474, 477, 478.	100		100 pct. White Writing Envelopes	- - -
479, 480, 481, 481b, 482, 482b, 482c, 487, 488.		30	Writing Envelopes, White, Colored, and Window	V20
491, 491a.		25	Tyvek Envelopes, Flat and Gusseted (with latex self-seal adhesive)	V90
494		25	Tyvek Envelopes, Flat and Gusseted (with release liner adhesive)	V90

¹ Total percentage of recovered material must be a minimum of 50 pct.

² If a postconsumer recovered fiber is used, it counts towards the postconsumer fiber.

³ Total percentage of recovered material is 100 pct.

⁴ This value supercedes the value cited in the Government Paper Specification Standards, No. 11.

PAPER SCHEDULE

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Postconsumer Fiber																											
5	A25	Heat-set Web Offset Machine-finish Book Paper, 52 g/m ² (basis, 25 x 38 inches, 35 pounds). Rolls, minimum width 533 mm (21 inches), maximum width 1,168 mm (46 inches); diameter 991 mm (39 inches). 76 mm (3-inch) i.d. nonreturnable fiber cores with metal inserts to be furnished by contractor. See Cores (T&C). Minimum order, one size, 10,000 kg (20,000 pounds), except 965 mm (38 inches) rolls, minimum order 35,000 kg (80,000 pounds). Minimum lot shipment, 20,000 kg (40,000 pounds). <table><tr><td><u>pounds</u></td><td><u>width (mm)</u></td><td><u>width (in.)</u></td></tr><tr><td>20,000</td><td>724</td><td>(28-1/2)</td></tr><tr><td>480,000</td><td>965</td><td>(38)</td></tr></table>	<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>	20,000	724	(28-1/2)	480,000	965	(38)	500,000	\$																			
<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>																														
20,000	724	(28-1/2)																														
480,000	965	(38)																														
13	A55	Heat-set Web Offset Book Paper, 60 g/m ² (basis, 25 x 38 inches, 40 pounds). Rolls, minimum width 533 mm (21 inches), maximum width 1,168 mm (46 inches); diameter 991 mm (39 inches). 76 mm (3-inch) i.d. nonreturnable fiber cores with metal inserts to be furnished by the contractor. See Cores (T&C). Minimum order, one size, 10,000 kg (20,000 pounds). Minimum lot shipment, 20,000 kg (40,000 pounds). <table><tr><td><u>pounds</u></td><td><u>width (mm)</u></td><td><u>width (in.)</u></td></tr><tr><td>60,000</td><td>546</td><td>(21-1/2)</td></tr><tr><td>20,000</td><td>584</td><td>(23)</td></tr><tr><td>100,000</td><td>724</td><td>(28-1/2)</td></tr><tr><td>120,000</td><td>819</td><td>(32-1/4)</td></tr><tr><td>20,000</td><td>876</td><td>(34-1/2)</td></tr><tr><td>2,400,000</td><td>965</td><td>(38)</td></tr><tr><td>1,600,000</td><td>1,092</td><td>(43)</td></tr><tr><td>500,000</td><td>1,168</td><td>(46)</td></tr></table>	<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>	60,000	546	(21-1/2)	20,000	584	(23)	100,000	724	(28-1/2)	120,000	819	(32-1/4)	20,000	876	(34-1/2)	2,400,000	965	(38)	1,600,000	1,092	(43)	500,000	1,168	(46)	4,820,000	\$	
<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>																														
60,000	546	(21-1/2)																														
20,000	584	(23)																														
100,000	724	(28-1/2)																														
120,000	819	(32-1/4)																														
20,000	876	(34-1/2)																														
2,400,000	965	(38)																														
1,600,000	1,092	(43)																														
500,000	1,168	(46)																														
14	A55	Heat-set Web Offset Book Paper, 75 g/m ² (basis, 25 x 38 inches, 50 pounds). Rolls, minimum width 533 mm (21 inches), maximum width 1,168 mm (46 inches); diameter 991 mm (39 inches). 76 mm (3-inch) i.d. nonreturnable fiber cores with metal inserts to be furnished by the contractor. See Cores (T&C). Minimum order, one size, 10,000 kg (20,000 pounds). Minimum lot shipment, 20,000 kg (40,000 pounds). <table><tr><td><u>pounds</u></td><td><u>width (mm)</u></td><td><u>width (in.)</u></td></tr><tr><td>40,000</td><td>876</td><td>(34-1/2)</td></tr><tr><td>80,000</td><td>965</td><td>(38)</td></tr><tr><td>40,000</td><td>1,092</td><td>(43)</td></tr><tr><td>80,000</td><td>1,168</td><td>(46)</td></tr></table>	<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>	40,000	876	(34-1/2)	80,000	965	(38)	40,000	1,092	(43)	80,000	1,168	(46)	240,000	\$													
<u>pounds</u>	<u>width (mm)</u>	<u>width (in.)</u>																														
40,000	876	(34-1/2)																														
80,000	965	(38)																														
40,000	1,092	(43)																														
80,000	1,168	(46)																														

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Postconsumer Fiber
15	A55	Heat-set Web Offset Book Paper, 90 g/m ² , (basis, 25 x 38 inches, 60 pounds). Rolls, minimum width 533 mm (21 inches), maximum width 1,168 mm (46 inches); diameter 991 mm (39 inches). 76 mm (3-inch) i.d. nonreturnable fiber cores with metal inserts to be furnished by the contractor. See Cores (T&C). Minimum order, one size, 10,000 kg (20,000 pounds). Minimum lot shipment, 20,000 kg (40,000 pounds). <div> <u>pounds</u> <u>width (mm)</u> <u>width (in.)</u> 60,000 965 (38) </div>	60,000	\$	
16	A60	Offset Book Paper, 60 g/m ² , (basis, 25 x 38 inches, 40 pounds). Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long, except size 572 x 889 mm (22-1/2 x 35 inches), the grain must be short. Minimum order, one size, 20,000 kg (40,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 40,000 965 x 1,219 (38 x 48) 40,000 1,067 x 1,473 (42 x 58) </div>	80,000	\$	
17	A60	Offset Book Paper, 75 g/m ² , (basis, 25 x 38 inches, 50 pounds). Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long. Minimum order, one size, 10,000 kg (20,000 pounds). Minimum lot shipment, 20,000 kg (40,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 40,000 889 x 1,143 (35 x 45) 40,000 1,092 x 1,422 (43 x 56) </div>	80,000	\$	
19a	A60	Offset Book Paper, 75 g/m ² (basis, 25 x 38 inches, 50 pounds). Flat, cut 432 x 559 mm (17 x 22 inches). Grain long. See Skids & Weight, Banding, Marking (T&C). Minimum order, 10,000 kg (20,000 pounds).	40,000	\$	

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Postconsumer Fiber
21	A60	Offset Book Paper, 90 g/m ² (basis, 25 x 38 inches, 60 pounds). Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long, except size 572 x 889 mm (22-1/2 x 35 inches), the grain must be short. Minimum order, 10,000 kg, (20,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 80,000 965 x 1,219 (38 x 48) </div>	80,000	\$	
					Percentage of Recovered Materials Including Cotton/Linen
34	A120	50% Laid Antique Book Paper, 105 g/m ² , (basis, 25 x 38 inches, 70 pounds). Flat, cut 965 x 1,219 mm (38 x 48 inches); the laid lines to run the 965 mm (38-inch) direction of the sheet; the grain and chain marks to run the 1,219 mm (48-inch) dimension. Minimum order, 5,000 kg, (10,000 pounds).	10,000	\$	
					Percentage of Postconsumer Fiber
69	D10	Colored Writing Paper, blue, buff, green, pink, salmon, and yellow; 75 g/m ² , (basis, 17 x 22 inches, 20 pounds). (The right is reserved to order any of the foregoing colors.) Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long. Minimum order, one color, 10,000 kg (20,000 pounds). <div> <u>pounds</u> <u>color</u> <u>size (mm)</u> <u>size (in.)</u> 10,000 buff 787 x 1,143 (34 x 44) 10,000 pink 864 x 1,118 (34 x 44) </div>	20,000	\$	

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Recovered Materials Including Cotton/Linen, and Postconsumer Fiber															
128	G45	<p>Recycled White 25% Bond Paper, 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut any size, minimum width 432 mm (17 inches), maximum width 1,219 mm (48 inches). Grain Long except size 559 x 864 mm (22 x 34 inches), the grain must be short and the successful bidder must furnish grain short on this size, otherwise the paper will be rejected. This paper shall be suitable for processing in laser printers. Minimum order, 10,000 kg (20,000 pounds).</p> <table><tr><td><u>pounds</u></td><td><u>size (mm)</u></td><td><u>size (in.)</u></td></tr><tr><td>20,000</td><td>432 x 559</td><td>(17 x 22)</td></tr><tr><td>80,000</td><td>445 x 572</td><td>(17-1/2 x 22-1/2)</td></tr><tr><td>20,000</td><td>864 x 1,118</td><td>(34 x 44)</td></tr><tr><td>40,000</td><td>965 x 1,219</td><td>(38 x 48)</td></tr></table>	<u>pounds</u>	<u>size (mm)</u>	<u>size (in.)</u>	20,000	432 x 559	(17 x 22)	80,000	445 x 572	(17-1/2 x 22-1/2)	20,000	864 x 1,118	(34 x 44)	40,000	965 x 1,219	(38 x 48)	160,000	\$	
<u>pounds</u>	<u>size (mm)</u>	<u>size (in.)</u>																		
20,000	432 x 559	(17 x 22)																		
80,000	445 x 572	(17-1/2 x 22-1/2)																		
20,000	864 x 1,118	(34 x 44)																		
40,000	965 x 1,219	(38 x 48)																		
128a	G45	<p>Recycled White 25% Bond Paper, 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper shall be suitable for processing in laser printers. See Cut Sheets (T&C). Minimum order, 10,000 kg (20,000 pounds).</p>	60,000	\$																
131	G70	<p>White 50% Bond Paper, 75 g/m², (basis, 17 x 22 inches, 20 pounds). Flat, cut any size, minimum width 432 mm (17 inches), maximum width 1,219 mm (48 inches). Grain long. This paper shall be suitable for processing in laser printers. Minimum order, 5,000 kg (10,000 pounds).</p> <table><tr><td><u>pounds</u></td><td><u>size (mm)</u></td><td><u>size (in.)</u></td></tr><tr><td>20,000</td><td>445 x 572</td><td>(17-1/2 x 22-1/2)</td></tr><tr><td>50,000</td><td>864 x 1,118</td><td>(34 x 44)</td></tr></table>	<u>pounds</u>	<u>size (mm)</u>	<u>size (in.)</u>	20,000	445 x 572	(17-1/2 x 22-1/2)	50,000	864 x 1,118	(34 x 44)	70,000	\$							
<u>pounds</u>	<u>size (mm)</u>	<u>size (in.)</u>																		
20,000	445 x 572	(17-1/2 x 22-1/2)																		
50,000	864 x 1,118	(34 x 44)																		

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Recovered Materials Including Cotton/Linen
135	H10	White 100% Parchment Deed paper, 177 g/m ² , (basis, 17 x 22 inches, 32 pounds). Flat, cut 864 x 1,118 mm (34 x 44 inches). Grain long. Minimum order, 24 MX (24,000 sheets)	10,000	\$	
					Percentage of Postconsumer Fiber
149	J10	White Ledger Paper, 120 g/m ² (basis, 17 x 22 inches, 32 pounds). Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long except size 813 x 1,219 mm (32 x 48 inches), the grain must be short. Minimum order, 5,000 kg (10,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 10,000 864 x 1,118 (34 x 44) 20,000 965 x 1,219 (38 x 48) </div>	30,000	\$	
150	J10	White Ledger Paper, 165 g/m ² , (basis, 17 x 22 inches, 44 pounds). Flat, cut any size, minimum width 533 mm (21 inches), maximum width 1,219 mm (48 inches). Grain long. Minimum order, 10,000 kg (20,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 20,000 864 x 1,118 (34 x 44) </div>	20,000	\$	
			Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	
182a	K10	White Index Paper, 200 g/m ² (basis, 25-1/2 x 30-1/2 inches, 110 pounds). Flat, cut 864 x 1,118 mm (34 x 44 inches). Grain long. See Weight, Banding, Marking (T&C). Minimum order, 30 MX (30,000 sheets).	90	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber
185	K10	Colored Index Paper; blue, buff, green, pink, salmon, and yellow. (The right is reserved to order any of the foregoing colors.); single-ply; 200 g/m ² (basis, 25-1/2 x 30-1/2 inches, 110 pounds). Flat, cut 864 x 1,118 mm (34 x 44 inches). Grain long. See Weight, Banding, Marking (T&C). Minimum order, 30 MX, (30,000 sheets). <div> <u>sheets</u> <u>color</u> <u>size (mm)</u> <u>size (in)</u> 30,000 blue 864 x 1,118 (34 x 44) 30,000 salmon 864 x 1,118 (34 x 44) 30,000 yellow 864 x 1,118 (34 x 44) 30,000 buff 864 x 1,118 (34 x 44) </div>	120	\$	
					Recovered Materials Including Cotton/Linen and Postconsumer Fiber
189	K20	White 25% Index Paper, 255 g/m ² , (basis, 25-1/2 x 30-1/2 inches, 140 pounds). Flat, cut 432 x 559 mm (17 x 22 inches). Grain long. Minimum order, 240 MX (240,000 sheets).	720	\$	
			Quantity (Pounds)	Price Per Pound Cents	Percentage of Postconsumer Fiber
202	L20	White Vellum-finish Cover Paper, 135 g/m ² (basis, 20 x 26 inches, 50 pounds). Flat, cut 641 x 965 mm (25-1/4 x 38 inches), 914 x 1,168 mm (36 x 46 inches), and 914 x 1,473 mm (36 x 58 inches). Grain long. Minimum order, 10,000 kg (20,000 pounds). <div> <u>pounds</u> <u>size (mm)</u> <u>size (in.)</u> 80,000 914 x 1,168 (36 x 46) 100,000 914 x 1,473 (36 x 58) </div>	180,000	\$	

Lot No.	JCP No.	Brief Description	Quantity (Pounds)	Price Per Pound Cents	Percentage of Postconsumer Fiber																								
203	L20	<p>Colored Vellum-finish Cover Paper, dutch blue, venice blue, killarney green, victoria green, canary yellow, sun orange, vermillion, peach tan, brown, pecan brown, light gray, and sand gray, 135 g/m² (basis, 20 x 26 inches, 50 pounds). Flat, cut 641 x 965 mm (25-1/4 x 38 inches) and 914 x 1,168 mm (36 x 46 inches). Grain long. (The right is reserved to order any of the foregoing colors.) Minimum order, one color, 5,000 kg (10,000 pounds).</p> <table><tr><td><u>pounds</u></td><td><u>color</u></td><td><u>size (mm)</u></td><td><u>size (in.)</u></td></tr><tr><td>10,000</td><td>sand gray</td><td>641 x 965</td><td>(25-1/4 x 38)</td></tr><tr><td>10,000</td><td>killarney green</td><td>641 x 965</td><td>(25-1/4 x 38)</td></tr><tr><td>10,000</td><td>sun orange</td><td>641 x 965</td><td>(25-1/4 x 38)</td></tr><tr><td>10,000</td><td>canary yellow</td><td>914 x 1,168</td><td>(36 x 46)</td></tr><tr><td>10,000</td><td>killarney green</td><td>914 x 1,168</td><td>(36 x 46)</td></tr></table>	<u>pounds</u>	<u>color</u>	<u>size (mm)</u>	<u>size (in.)</u>	10,000	sand gray	641 x 965	(25-1/4 x 38)	10,000	killarney green	641 x 965	(25-1/4 x 38)	10,000	sun orange	641 x 965	(25-1/4 x 38)	10,000	canary yellow	914 x 1,168	(36 x 46)	10,000	killarney green	914 x 1,168	(36 x 46)	50,000	\$	
<u>pounds</u>	<u>color</u>	<u>size (mm)</u>	<u>size (in.)</u>																										
10,000	sand gray	641 x 965	(25-1/4 x 38)																										
10,000	killarney green	641 x 965	(25-1/4 x 38)																										
10,000	sun orange	641 x 965	(25-1/4 x 38)																										
10,000	canary yellow	914 x 1,168	(36 x 46)																										
10,000	killarney green	914 x 1,168	(36 x 46)																										
219c	N10	<p>No. 2 Kraft Wrapping Paper; 100 g/m², (basis, 24 x 36 inches, 60 pounds). Grain optional. Must be delivered on skids, ream marked. Minimum order, 2,500 kg (5,000 pounds).</p>	5,000	\$																									
			Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars																									
269b	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber) 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers. Truck Shipments only, to any destination within the Washington metropolitan area. Minimum shipment, 4,000 MX (4,000,000 sheets). Minimum order, 4,000 MX (4,000,000 sheets). Delivery on this lot shall be made in 30 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	348,000	\$																									

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber
269c	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 600 MX (600,000 sheets).</p> <p>Delivery on this lot shall be made in 10 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	245,000	\$	
269d	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 200 MX (200,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	1,000	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber									
269g	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printer.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, inside or platform delivery of full pallets (not broken down), and inside delivery of cartons.</p> <p>Minimum order, 200 MX (200,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p> <table><tr><td><u>sheets (mx)</u></td><td><u>size (mm)</u></td><td><u>size (in.)</u></td></tr><tr><td>23,000 (cartons)</td><td>216 x 279</td><td>(8-1/2 x 11)</td></tr><tr><td>72,000 (pallets)</td><td>216 x 279</td><td>(8-1/2 x 11)</td></tr></table>	<u>sheets (mx)</u>	<u>size (mm)</u>	<u>size (in.)</u>	23,000 (cartons)	216 x 279	(8-1/2 x 11)	72,000 (pallets)	216 x 279	(8-1/2 x 11)	95,000	\$	
<u>sheets (mx)</u>	<u>size (mm)</u>	<u>size (in.)</u>												
23,000 (cartons)	216 x 279	(8-1/2 x 11)												
72,000 (pallets)	216 x 279	(8-1/2 x 11)												
269h	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches), with three (3) 6.5 mm (1/4-inch) or 8 mm (5/16-inch) diameter holes, 9.5 mm (3/8-inch) from edge of sheet to center of hole, 108 mm (4-1/4 inches) center to center on 279 mm (11 inch)(left side). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery.</p> <p>Minimum order, 200 MX (200,000 sheets).</p> <p>Delivery on this lot shall be made in 10 calendar days from the date of the purchase order, unless a longer period is specified (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be multiples of full pallets.</p>	40,000	\$										

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber
269i	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, inside or platform of full pallets (not broken down).</p> <p>Minimum shipment, 4,000 MX (4,000,000 sheets).</p> <p>Minimum order, 4,000 MX (4,000,000 sheets).</p> <p>Delivery on this lot shall be made in 10 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	30,000	\$	
269j	O-65	<p>White Plain Copier, Xerographic Paper; (30 percent postconsumer fiber), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 356 mm (8-1/2 x 14 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, inside or platform delivery of full pallets (not broken down).</p> <p>Minimum order, 150 MX (150,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order unless a longer period is specified, (no allowance). EXACT AMOUNT, no over of under deliveries acceptable. All order quantities are to be multiple of full pallets.</p>	5,000	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber
269k	O-65	<p>White, Plain Copier, Xerographic Paper, (30 percent postconsumer fiber), 75 g/m², (basis, 17 x 22 inches, 20 pounds). Flat, cut 279 x 432 mm (11 x 17 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 100 MX (100,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiples of full pallets.</p>	500	\$	
					Not Applicable
270	O-65	<p>White, Plain Copier, Xerographic Paper, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area.</p> <p>Minimum shipment, 4,000 MX (4,000,000 sheets).</p> <p>Minimum order, 4,000 MX (4,000,000 sheets).</p> <p>Delivery on this lot shall be made in 30 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	70,000	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Not Applicable
270a	O-65	<p>White, Plain Copier, Xerographic Paper, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 600 MX (600,000 sheets).</p> <p>Delivery on this lot shall be made in 10 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	90,000	\$	
270c	O-65	<p>White, Plain Copier, Xerographic Paper, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 14 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 150 MX (150,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	1,200	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Not Applicable
270d	O-65	<p>White, Plain Copier, Xerographic Paper, non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 356 mm (8-1/2 x 14 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 150 MX (150,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	7,000	\$	
270f	O-65	<p>White, Plain Copier, Xerographic Paper, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches) with three (3) 6.5 mm (1/4 inch) or 8 mm (5/16 inch) diameter holes, 9.5 mm (3/8- inch) from edge of sheet to center of hole, 108 mm (4-1/4 inches) center to center on 279 mm (11-inch)(left side). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 200 MX (200,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	7,000	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Not Applicable
270h	O-65	<p>Colored, Plain Copier, Xerographic Paper, blue, buff, green, pink, salmon, and yellow, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 216 x 279 mm (8-1/2 x 11 inches). Grain long. (The right is reserved to order any of the foregoing colors). This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, one color, 200 MX (200,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	5,200	\$	
270k	O-65	<p>White, Plain Copier, Xerographic Paper, (non-compliant EO 13101 stock), 75 g/m² (basis, 17 x 22 inches, 20 pounds). Flat, cut 279 x 432 mm (11 x 17 inches). Grain long. This paper must be suitable for processing in laser printers.</p> <p>Truck shipments only, to any destination within the Washington metropolitan area regardless of docking facility limitations, exclusive of inside delivery requirements.</p> <p>Minimum order, 100 MX (100,000 sheets).</p> <p>Delivery on this lot shall be made in 5 calendar days from the date of the purchase order, unless a longer period is specified, (no allowance). EXACT AMOUNT, no over or under deliveries acceptable. All order quantities are to be in multiple of full pallets.</p>	1,800	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Sheets (MX)	Price Per Thousand Sheets Dollars	Percentage of Postconsumer Fiber
326a	Q60	White, United States Postal Card Paper, 195 g/m ² (basis, 22-1/2 x 28-1/2 inches, 89 pounds). Flat, cut 927 x 1,143 mm (36-1/2 x 45 inches). Grain long. For printing on 4-color Postal Cards. See Weight, Banding, Marking (T&C). Deliver felt side up. Minimum order, 600 MX (600,000 sheets).	1,200	\$	
360a	R20	Newsboard, 356 g/m ² , (basis, 26 x 38 inches, No. 100). Flat, cut 864 x 1,118 mm (34 x 44 inches, No. 66). Minimum order, 10 MX (10,000 sheets).	40	\$	
360c	R20	Newsboard, 356 g/m ² , (basis, 26 x 38 inches, No. 100). Flat, cut 1,080 x 1,422 mm (42-1/2 x 56 inches, No. 42). Minimum order, 10 MX (10,000 sheets).	10	\$	
366d	R30	Book Cover Board, 1,125 g/m ² , (basis, 25-1/4 x 30-1/4 inches). Flat, cut 635 x 806 mm (25 x 31-3/4 inches, No. 41). Minimum order, 2 MX (2,000 sheets).	20	\$	

ENVELOPE SCHEDULE

Lot No.	JCP No.	Brief Description	Quantity Thousand Envelopes (MX)	Price Per Thousand Envelopes Dollars	Percentage of Postconsumer Fiber
415	V10	Light Colored Brown (Kraft Shade) Envelopes, 90 g/m ² , (basis, 17 x 22 inches, 24 pound). Size: 154 x 267 mm (6-1/16 x 10-1/2 inches). Open side, gummed, high-cut, diagonal seams, high shoulder. See Construction (T&C). Minimum order, 150 MX (150,000 envelopes)	450	\$	
424	V10	Light-Colored Brown (Kraft Shade) Envelopes, 120 g/m ² , (basis, 17 x 22 inches, 32 pound). Size: 242 x 305 mm (9-1/2 x 12 inches) with 89 mm (3-1/2 inch) flap. Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C). Minimum order, 250 MX (250,000 envelopes)	2,500	\$	
425	V10	Light-Colored Brown (Kraft Shade) Envelopes, 120 g/m ² , (basis, 17 x 22 inches, 32 pound). Size: 242 x 305 mm (9-1/2 x 12 inches), open side, side seams, with square 44 mm (1-3/4 inch) gummed flap. Side flaps to glue inside (booklet style). See Construction (T&C). Minimum order, 100 MX (100,000 envelopes)	200	\$	
426	V10	Light-Colored Brown (Kraft Shade) Envelopes, 150 g/m ² , (basis, 17 x 22 inches, 40 pound). Size: 254 x 381 mm (10 x 15 inches), with 127 mm (5 inch) flap. Open side, gummed, high-cut, diagonal seams, high shoulder. See Construction (T&C). Minimum order, 150 MX (150,000 envelopes)	450	\$	
430	V10	Light-Colored Brown (Kraft Shade) Envelopes, 150 g/m ² , (basis, 17 x 22 inches, 40 pound). Size: 305 x 407 mm (12 x 16 inches). Open side, gummed, high-cut, diagonal seams, high shoulder. See Construction (T&C). Minimum order, 50 MX (50,000 envelopes)	100	\$	
					Percentage of Recovered Materials Including Cotton/Linen
432	V10	Light-Colored Brown (Kraft Shade) Envelopes, 150 g/m ² , (basis, 17 x 22 inches, 40 pound). Size: 369 x 457 mm (14-1/2 x 18 inches), with 127 mm (5 inch) flap. Open side, gummed, high-cut, side seam, high shoulder. See Construction (T&C). Minimum order, 20 MX (20,000 envelopes)	40	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Envelopes (MX)	Price Per Thousand Envelopes Dollars	Percentage of Postconsumer Fiber
450	-----	White Kraft Envelopes, 120 g/m ² . (basis, 17 x 22 inches, 32 pound). Size: 102 x 264 mm (4 x 10-3/8 inches). Open side, double side seams, permanent self-sealing latex gum closure, 1-1/2 inch wide square seal flap, 1-inch wide permanent self-sealing latex adhesive. Packed 500 per box, 2,500 per carton. Manufactured outturn samples required. See specifications, page 30. Minimum order 500 MX (500,000 envelopes)	3,500	\$	
					Percentage of Recovered Materials Including Cotton/Linen
459	V40	White 25% Bond Envelopes, 90 g/m ² , (basis, 17 x 22 inches, 24 pound). Size: 121 x 188 mm (4-3/4 x 7-3/8 inches). Open side, gummed, high-cut, diagonal seams, high shoulder. See Construction (T&C). Minimum order, 10 MX (10,000 envelopes)	40	\$	
					Not Applicable
474	-----	White 100% Writing Envelopes, 105 g/m ² . Size: 105 x 242 mm (4-1/8 x 9-1/2 inches, 28 pound). Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C). GPO will furnish paper size: 876 x 1,130 mm (34-1/2 x 44-1/2 inches, 28 pounds). See specifications, page 31. Number of sheets required to manufacture a minimum of 10 MX envelopes _____. Include cost of transportation of furnished stock from GPO to contractor's manufacturer in bid price. Minimum order, 10 MX (10,000 envelopes)	20	\$	
477	-----	White 100% Writing Envelopes, 105 g/m ² . Size: 121 x 172 mm (4-3/4 x 6-3/4 inches, 28 pound). Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C). GPO will furnish paper size: 876 x 1,130 mm (34-1/2 x 44-1/2 inches, 28 pounds). See specifications, page 31. Number of sheets required to manufacture a minimum of 5 MX envelopes _____. Include cost of transportation of furnished stock from GPO to contractor's manufacturer in bid price. Minimum order, 5 MX (5,000 envelopes)	20	\$	

Lot No.	JCP No.	Brief Description	Quantity Thousand Envelopes (MX)	Price Per Thousand Envelopes Dollars	Not Applicable
478	-----	<p>White 100% Writing Envelopes, 105 g/m². Size: 121 x 188 mm (4-3/4 x 7-3/8 inches, 28 pound). Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C). GPO will furnish paper size: 876 x 1,130 mm (34-1/2 x 44-1/2 inches 28 pounds). See specifications, page 31.</p> <p>Number of sheets required to manufacture a minimum of 30 MX envelopes _____ . Include cost of transportation of furnished stock from GPO to contractor's manufacturer in bid price.</p> <p>Minimum order, 30 MX (30,000 envelopes)</p>	60	\$	
					Percentage of Postconsumer Fiber
480	V20	<p>White Writing Envelopes, 75 g/m², (basis, 17 x 22 inches, 20 pound). Size: 99 x 226 mm (3-7/8 x 8-7/8 inches). Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C).</p> <p>Minimum order, 250 MX (250,000 envelopes)</p>	500	\$	
481	V20	<p>White Writing Envelopes, 90 g/m², (basis, 17 x 22 inches, 24 pound). Size: 105 x 242 mm (4-1/8 x 9-1/2 inches). Open side, gummed, high-cut, diagonal seam, high shoulder. See Construction (T&C).</p> <p>Minimum order, 2,000 MX (2,000,000 envelopes)</p>	2,000	\$	
481b	V20	<p>White Writing Envelopes, 75 g/m², (basis, 17 x 22 inches, 20 pound). Size: 105 x 242 mm (4-1/8 x 9-1/2 inches). Open side, gummed, high-cut, high shoulder, side seam (Web Style). See Construction (T&C).</p> <p>Minimum order, 240 MX (240,000 envelopes)</p>	600	\$	

Lot No.	JCP NO.	Brief Description	Quantity Thousand Envelopes (MX)	Price Per Thousand Envelopes Dollars	Percentage of Postconsumer Fiber
488	V20	<p>White Writing Envelopes with window, 90 g/m², (basis, 17 x 22 inches, 24 pound). Size: 105 x 242 mm (4-1/8 x 9-1/2 inches). Open side, gummed, high-cut, diagonal seam, high shoulder. Window with square corner, 32 x 121 mm (1-1/4 x 4-3/4 inches) in size, located 20 mm (3/4 inch) from the left side of the envelope and 13 mm (1/2 inch) from the bottom. The window material shall be transparent and clear so that the printed matter inside is distinctly legible. See Construction (T&C).</p> <p>Minimum order, 500 MX (500,000 envelopes)</p>	9,000	\$	

SPECIFICATIONS FOR LOT NUMBER 450

WHITE KRAFT ENVELOPES (with latex self-seal adhesive)

Lot 450

Open side, double side seams, permanent self-sealing latex gum closure, and 38 mm (1-1/2 inches) wide square seal flap. Packed 500 per box, 2,500 per carton.

GENERAL REQUIREMENTS/INFORMATION

Use information: This paragraph is information only and is not exclusively definitive of the end use.

For the insertion of documents manually. Suitable for letterpress and offset printing; printed matter may include text and line illustrations.

Sampling and testing: Shall be conducted in accordance with the standards in Parts 2 and 4, *Government Paper Specification Standards*. A carton of representative envelopes shall be furnished for performance testing **prior to shipment** of each manufacturing run on a purchase order. The order cannot be shipped prior to testing and approval of the carton of representative samples. The samples submitted will be tested for conformance to specifications and the contractor will be notified of approval or disapproval within 10 days after receipt of samples in the GPO. The carton of envelopes should be marked "QC SAMPLES for PERFORMANCE TESTING" along with the purchase order number. If the initial samples are disapproved and the contractor elects to supply additional samples for testing, they will not be relieved of their obligation to meet the scheduled shipping/delivery date. The contractor will be charged \$250.00 for each retest requested.

Alternatively, the contractor may request a waiver from submitting the "QC SAMPLES for PERFORMANCE TESTING" if during the past 2 years they have provided GPO with an acceptable product. When requesting the waiver, the contractor shall simply provide a set of QC SAMPLES (30 representative pieces) in accordance with paragraphs 60, 61, and 62 in the *Paper Procurement Section Terms and Conditions* and provide the purchase order number of the acceptable product.

Any deviation in the flap adhesive or adhesive quality requirements below shall be sufficient cause for rejection of the envelopes.

Pressroom conditions: The bulk of these envelopes will be used in air-conditioned pressrooms maintained at 24 ±2 °C and 45 ±8% relative humidity or offices with atmospheric conditions of 21 ±5.5 °C and 50 ±20% relative humidity.

CONSTRUCTION AND ADHESIVE

Style: The envelope shall be open side, double side seams, and have a slightly tapered square seal flap. A tolerance of ±3 mm (1/8 inch) shall be allowed on the width of the flap.

Size: The size of the envelope shall be as ordered. A tolerance of -2 mm, +4 mm shall be allowed. Dimensions are inside measurements.

Flap adhesive: Shall be a 25 mm (1 inch) wide cohesive strip of latex adhesive on the seal flap and back flap: (latex) uniformly applied and extending the full length of the flap and envelope [to at least 13mm (0.5") of the side fold.]

Adhesive quality: The envelopes are self-sealing having a permanent latex gum coating, which must function satisfactorily for a period of not less than 12 months. When the strips are in contact with each other; the envelope shall be tightly and securely sealed when examined after 1 hour and again after 24 hours.

The latex adhesive shall not pick, lift, fluff, or pile under normal press condition.

The side seams shall be securely and firmly bonded so that when the seams are pulled apart, there is evidence of paper fibers being pulled along the entire adhesive area. Voids greater than 6 mm (1/4 inch) in diameter are not acceptable.

MATERIAL

Stock: 100 pct. bleached sulphate pulp.

Note: Not less than 20 pct. postconsumer fiber. Any percent over 20 percentage points is encouraged, provided that the requirements of this Standard are met.

Grammage: Average (g/m²)120
Basis weight: 17 by 22 inches, 500 sheets (pounds)..... 32
A tolerance of ±5 pct. shall be allowed.

Bursting strength: Average, not less than (kPa).....340
Equivalent (lb/in²)..... 50

Writing quality: Characters written with pen and ink shall be clear-cut and free from excessive feathering.

General appearance: Envelopes shall conform to the standard sample(s) adopted by the Government.

Color: The envelopes in the order shall be uniform in color with a target brightness of not less than 81pct. The color variations shall not exceed DE (CIELAB) = 1.0.

Finish: Envelope stock shall have a smooth-finish.

Cleanliness: The dirt count for each side of the paper shall not exceed 250 specks per square meter. No envelope (up to 300 cm² in size) shall contain more than two obvious and objectionable foreign particles with an equivalent area of 0.25 mm² or greater on the face of the envelope. (The number of particles permitted is proportionately higher for larger envelopes.)

LOT NO.	DESCRIPTION OF ENVELOPES		
450	WHITE KRAFT ENVELOPES		
	SIZE	GRAMMAGE	(SUB. NO.)
	102 x 264 mm (4 x 10-3/8 inches)..... Minimum order, 500 MX.	120	(32)

SPECIFICATIONS FOR LOT NUMBERS 474, 477, 478

100% WHITE WRITING ENVELOPES

Lots 474 to 478.

Open side, gummed, high-cut, diagonal seam; high shoulder, flap as illustrated under Drawings of Envelopes.

Special Notice to Bidders: The manufacture of envelopes and cost for transportation of furnished stock from the Government Printing Office to contractor's plant must be included in the bid price, GPO will furnish paper in sizes 876 x 1130 mm (34-1/2 x 44-1/2 inches). Bidders must indicate with their bid the number of sheets, including spoilage, required for the minimum order specified. No under deliveries acceptable, and no adjustment will be made for additional sheets required for the making of these envelopes.

Adhesive-quality: The adhesive used on the seams and flaps of these envelopes must be of such quality as will withstand exposure of a temperature of 120 °C for one minute after embossing. At the end of this exposure, the adhesive shall not have become brittle or cracked so as to cause the seams to be readily separated or to destroy the sealing qualities of the flap under ordinary conditions.

Flap adhesive: Shall be a clear remoistenable adhesive with no color tinting and shall be a minimum thickness of 0.015 mm (0.0006 inch), uniformly applied, and cover a minimum of 13 mm (0.5 inch) from the outer edge of the flap. Splits in the flap adhesive shall be no greater than 20 mm (3/4 inch). The flap adhesive shall be capable of being quickly and securely sealed using 2.3 kg (5 pounds) pressure after moistening.

When opened not less than 15 seconds or more than 20 seconds after sealing, the flap shall pull fibers from the body of the envelope over the entire adhesive area.

The adhesive shall be able to resist the heat and pressure of common office laser printers, so the flap adhesive does not become soft and tacky causing the flap to stick to the body of the envelope.

Size: The size of the envelope shall be as ordered. A tolerance of -2 mm, +4 mm shall be allowed. Dimensions are inside measurements.

Use information: This paragraph is information only and is not exclusively definitive of the end use.

For the insertion of correspondence either manually or with automated equipment. Suitable for letterpress and offset printing, processing in laser printers, automated mail sorting equipment. Printed matter may include text and line illustrations.

Pressroom conditions: The bulk of these envelopes will be used in air-conditioned pressrooms maintained at 24 ±2 °C and 45 ±8 pct relative humidity or offices with atmospheric conditions of 21 ±5.5 °C and 50 ±20 pct relative humidity.

LOT NO.	DESCRIPTION OF ENVELOPES		
	WHITE 100% WRITING ENVELOPES		
	SIZE	GRAMMAGE	(SUB. NO.)
474	105 x 242 mm (4-1/8 x 9-1/2 inches)..... Minimum order, 10 MX.	105	(28)
	*Number of sheets required to manufacture 10 MX envelopes.		
477	121 x 172 mm (4-3/4 x 6-3/4 inches) Minimum order, 5 MX.	105	(28)
	*Number of sheets required to manufacture 5 MX envelopes.		
478	121 x 188 mm (4-3/4 x 7-3/8 inches)..... Minimum order, 30 MX.	105	(28)
	*Number of sheets required to manufacture 30 MX envelopes.		

* Bidders must indicate the number of sheets required to manufacture the minimum order specified, no under deliveries acceptable.

**DRAWING FOR WATERMARK
LOT 129-STYLE G**



***YEAR—9.5 mm ($\frac{3}{8}$) Figures
Watermark Design for 100%
Recycled 25% Bond Paper**

QUALIFIED PRODUCTS LISTS

QUALIFIED PRODUCTS LIST (QPL) FOR JCP O-65: **COMPLIANT** EO 13101 COPY PAPER (Revised 01/19/00)

<u>Brand Name</u>	<u>Manufacturer/Supplier</u>
Aspen Xerographic (UPC 11491-54901)	Boise Cascade Papers Group
Color source®	Anasarca
COPYSAVER Dual Purpose	Paper Corporation of U.S.
GeoCycle	Georgia-Pacific Papers
Envirographic® 100% Postconsumer (UPC 16584-11185)	Badger Paper Mills, Inc.
Envirographic® Bond/Offset (UPC 16584-11249)	Badger Paper Mills, Inc.
Eureka!™ 30% Recycled Postconsumer (UPC 10322-11711)	Fort James
Exact® Multipurpose Colors	Wausau Papers
GREAT WHITE® MultiUse 20 (UPC 80366-88700)	Union Camp Corp.
Hammermill® Fore® D.P. Colors	Hammermill Papers®
HP Office Recycled™ (UPC 64025-93612)	Hewlett-Packard
Multi-Purpose Recycled Paper	IBM
Recycled Husky Xerocopy DP, Item 3108 (UPC 23382-31608)	Weyerhaeuser
Savings® DP Item #19410-0 (UPC 10199-09410)	Hammermill Papers®
Springhill Recycled Relay DP 00281 (UPC 91083-00081)	International Paper
Springhill Relay® PLUS Colors	International Paper
Willcopy® Recycled Paper (UPC 32476-54910)	Willamette Industries, Inc.
WINDSOR® Copy Recycled	Domtar Papers, Inc.

QUALIFIED PRODUCTS LIST (QPL) FOR JCP O-65: **NON-COMPLIANT** EO 13101 COPY PAPER (Revised 05/10/00)

<u>Brand Name</u>	<u>Manufacturer/Supplier</u>
Ardor® Xerocopy	Georgia-Pacific
BPM Xerographic	Badger Paper Mills, Inc.
Cascade® X-9000	Boise Cascade Papers Group
Champion Multi-Purpose Recycle (RECDE 20)(Bar Code 64025-65202)	Champion International Corp.
Champion® Multipurpose (CMDCLII)	Champion International Corp.
Compat DP	Nationwide Papers
Compat XOS	Nationwide Papers
Copy Solution™ (8010-2)	Avenor America, Inc.
DocuSource	Anasarca
DP Xerocopy	Frank Parsons Paper Co., Inc.
Econosource® Dual Purpose	Paper Corp. Of U.S./Anasarca
FASCOPY	RIS Paper Co., Inc.
Hammermill Fore® 9000™ (Item #10326-7)	Hammermill Papers Group
Hammermill Savings® DP (Item #10240-8)	Hammermill Papers Group
Hammermill Tidal® DP (Item #16200-8)	Hammermill Papers Group
HP Office™ (Bar Code 64025-93249)	Hewlett-Packard
IMPACT™ Copy Paper (Bar Code 71072-50203)	Frank Parsons Paper Co., Inc.
Microprint Multi-System (Bar Code 36500-08737)	Georgia-Pacific
Multi-Purpose Paper	IBM
Replicopy High Speed	xpedx
Spectrum® DP	Georgia-Pacific
Spectrum® Laser DP	Georgia-Pacific
Springhill Recycled Relay DP (00281)	International Paper Co.
Springhill Relay DP	International Paper Co.
Willcopy® Xerographic DP	Willamette Industries, Inc.
Windsor® Copy	Domtar Papers, Inc.
Windsor® Copy Recycled (Bar Code 77502-20668)	Domtar Papers, Inc.
Xerox Recycled Paper (Reorder No. 3R5130)	Xerox Corp.
Yorktown Xerographic DP	Union Camp Corp.

STANDARD SKID PACKING REQUIREMENTS

(One Odd Skid Acceptable Per Shipment)

Lot No.	Size (Millimeters) Size (Inches)	Stacks Per Skid	Qty. Of Sheets Per Skid 1,000's	Lot No.	Size (Millimeters) Size (Inches)	Stacks Per Skid	Qty. Of Sheets Per Skid 1,000's
7	965 x 1,270 (38 x 50)	1	7	90	660 x 914 (26 x 36)	2	24
16	787 x 1,143 (31 x 45) to 1,066 x 1,473 (42 x 58)	1	15	90	812 x 1,320 (32 x 52) to 1,118 x 1,625 (44 x 64)	1	12
16b	914 x 1,219 (36 x 48)	1	10	92b	864 x 1,118 (34 x 44)	1	10
16b	1,010 x 1,372 (39-3/4 x 54)	1	10	93b	457 x 558 (18 x 22)	4	36
17	533 x 812 (21 x 32) to 724 x 1,219 (28-1/2 x 48)	2	25	93b	558 x 685 (22 x 27) to 584 x 685 (23 x 27)	4	32
17	724 x 1,257 (28-1/2 x 49-1/2) to 1,066 x 1,625 (42 x 64)	1	12	93b	558 x 863 (22 x 34) to 660 x 914 (26 x 36)	2	18
17	1,118 x 1,625 (44 x 64)	1	10	93b	762 x 1,371 (30 x 54) to 914 x 1,118 (36 x 44)	1	9
17a	559 x 864 (22 x 34)	2	25	93b	914 x 1,371 (36 x 54)	1	8
17a	864 x 1,118 (34 x 44) to 1,041 x 1,372 (41 x 54)	1	10	93b	1,118 x 1,371 (44 x 54)	1	8
19a	432 x 559 (17 x 22)	4	50	93b	1,092 x 1,473 (43 x 58) to 1,118 x 1,473 (44 x 58)	1	7
21	572 x 889 (22-1/2 x 35)	2	20	94	762 x 1,118 (30 x 44) to 1,092 x 1,524 (43 x 60)	1	11
21	812 x 1,066 (32 x 42) to 1,066 x 1,219 (42 x 48)	1	10	95	762 x 1,066 (30 x 42)	1	7
21	965 x 1,270 (38 x 50)	1	10	95	914 x 1,118 (36 x 44) to 914 x 1,219 (36 x 48)	1	7
21a	216 x 279 (8-1/2 x 11)	16	120	95	939 x 1,118 (37 x 44)	1	7
21a	216 x 356 (8-1/2 x 14)	12	120	95	939 x 1,219 (37 x 48)	1	7
21f	445 x 572 (17-1/2 x 22-1/2)	4	40	95	939 x 1,143 (37 x 45)	1	7
22	889 x 1,143 (35 x 45) to 965 x 1,346 (38 x 53)	1	8	108	812 x 1,066 (32 x 42) to 864 x 1,422 (34 x 56)	1	10
24a	635 x 965 (25 x 38)	2	8	126	1,080 x 1,521 (42-1/2 x 59-7/8)	1	10
24a	965 x 1,219 (38 x 48)	1	10	128	432 x 559 (17 x 22) to 445 x 572 (17-1/2 x 22-1/2)	4	40
28	965 x 1,270 (38 x 50)	1	9	128	559 x 864 (22 x 34)	2	20
30	965 x 1,219 (38 x 48) to 1,035 x 1,397 (40-3/4 x 55)	1	12	128	800 x 1,219 (31-1/2 x 48) to 1,079 x 1,397 (42-1/2 x 55)	1	10
34	965 x 1,219 (38 x 48)	1	8	128a	216 x 279 (8-1/2 x 11)		16
47	889 x 1,143 (35 x 45) to 965 x 1,219 (38 x 48)	1	12	160			
47	1,067 x 1,219 (42 x 48)	1	11	129	864 x 1,118 (34 x 44)	1	10
47	965 x 1,270 (38 x 50)	1	11	130	864 x 1,118 (34 x 44)	1	13
48	812 x 1,118 (32 x 44) to 965 x 1,219 (38 x 48)	1	10	131	445 x 572 (17-1/2 x 22-1/2)	4	40
50	889 x 1,143 (35 x 45)	1	12	131	864 x 1,118 (34 x 44) to 1,080 x 1,397 (42-1/2 x 55)	1	9
50	914 x 1,118 (36 x 44)	1	12	133	864 x 1,118 (34 x 44)	1	11.5
50	965 x 1,270 (38 x 50)	1	10	135	864 x 1,118 (34 x 44)	1	5.5
50	1,118 x 1,372 (44 x 54)	1	10	140	864 x 1,118 (34 x 44)	1	11
50	1,118 x 1,473 (44 x 58)	1	10	148	812 x 1,066 (32 x 42) to 965 x 1,219 (38 x 48)	1	11
50a	889 x 1,143 (35 x 45)	1	10	149	812 x 1,066 (32 x 42) to 965 x 1,219 (38 x 48)	1	8
50a	914 x 1,118 (36 x 44)	1	10	150	814 x 1,066 (32 x 42) to 965 x 1,219 (38 x 48)	1	6.5
50a	914 x 1,372 (36 x 54)	1	10	151	864 x 1,118 (34 x 44)	1	8
50a	965 x 1,270 (38 x 50)	1	10	152	864 x 1,118 (34 x 44)	1	6.5
50a	1,118 x 1,372 (44 x 54)	1	8	182a	864 x 1,118 (34 x 44)	1	5.5
50a	1,118 x 1,473 (44 x 58)	1	8	182b	991 x 1,270 (39 x 50)	1	5.5
51	965 x 1,270 (38 x 50)	1	10				
51	1,118 x 1,473 (44 x 58)	1	6				
69	812 x 1,066 (32 x 42) to 1,066 x 1,422 (42 x 56)	1	11				
87	876 x 1,130 (34-1/2 x 44-1/2)	1	5.5				

STANDARD SKID PACKING REQUIREMENTS

(One Odd Skid Acceptable Per Shipment)

Lot No.	Size (Millimeters) Size (Inches)	Stacks Per Skid	Qty. Of Sheets Per Skid 1,000's	Lot No.	Size (Millimeters) Size (Inches)	Stacks Per Skid	Qty. Of Sheets Per Skids 1,000's
183	864 x 1,118 (34 x 44)	1	4.5	206	641 x 965 (25-1/4 x 38)	2	10
185	864 x 1,118 (34 x 44)	1	5.5	206	914 x 1,168 (36 x 46)	1	5
185a	914 x 1,168 (36 x 46)	1	5.5	210	889 x 1,168 (35 x 46)	1	5
188a	864 x 1,118 (34 x 44)	1	5.5	212	914 x 1,168 (36 x 46)	1	5.5
189	432 x 559 (17 x 22)	4	16	219a	609 x 914 (24 x 36)	1	6
190	864 x 1,118 (34 x 44)	1	3.5	219c	1,016 x 1,219 (40 x 48)	1	6
191	864 x 1,118 (34 x 44)	1	5.5	219d	914 x 1,219 (36 x 48)	1	6
192	864 x 1,118 (34 x 44)	1	4.5	268	965 x 1,270 (38 x 50)	1	10
200	641 x 965 (25-1/4 x 38)	2	10	268	1,143 x 1,524 (45 x 60)	1	7
200	914 x 1,168 (36 x 46) to	1	5.5	282	559 x 864 (22 x 34)	2	4
	991 x 1,168 (39 x 46)			301	559 x 864 (22 x 34)	2	4.8
202	641 x 965 (25-1/4 x 38)	2	11	302	559 x 864 (22 x 34)	2	3
202	914 x 1,473 (36 x 58)	1	5.5	303	559 x 864 (22 x 34)	2	2
202	914 x 1,168 (36 x 46)	1	5.5	326a	927 x 1,143 (36-1/2 x 45)	1	4
203	641 x 965 (25-1/4 x 38)	2	11	360a	864 x 1,118 (34 x 44)	1	2
203	914 x 1,168 (36 x 46)	1	5.5	360c	1,080 x 1,422 (42-1/2 x 56)	1	2

RECYCLED MATERIAL CONTENT

This solicitation incorporates the Paper Products Recovered Materials Advisory Notice (PAPER RMAN) published June 8, 1998 (63 FR 31217) under authority of Sections 2002(a) and 6002 of the Solid Waste Disposal Act, amended by the Resource Conservation and Recovery Act of 1976, as amended, 42 U.S.C. 6912(a) and 6962, and Executive Order 13101 "Greening the Government Through Waste Prevention, Recycling, and Federal Acquisition" issued September 14, 1998.

Each bidder, when entering a bid price on the bid, must state alongside the price entry the percentage of recovered materials including cotton/linen and/or postconsumer fiber that the product they propose to furnish will contain. Bids which do not state the percentage of recovered materials including cotton/linen and/or postconsumer fiber along with the bid price will be considered nonresponsive. Each bidder, by signing the bid, certifies to the percentage of recovered materials including cotton/linen and/or postconsumer fiber to be used in the manufacture of each item (LOT) for which a quote is submitted. The Government reserves the right to require proof of such certification prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

The contractor shall maintain records, for purposes of Government audit, that will verify (i) the contractor's certification of the minimum recovered materials including cotton/linen and/or postconsumer fiber used in performance of the contract, (ii) that the paper and paper products are in compliance with the specification requirements, and (iii) the paper and paper products are manufactured in accordance with the minimum content standard stated in the solicitation, whether the materials are manufactured by the contractor or another manufacturer. The contractor, if not the manufacturer, shall obtain this information from the manufacturer. The contractor shall maintain and make these documents available to the Government, upon request, for one year after the expiration of the contract.

CONTRACTING OFFICER

The Contracting Officer for this contract is Ms. Sheree A. Young, Chief, Paper Procurement Section, Paper & Specialized Procurement & Sales Division, Materials Management Service. She can be reached on Telephone Number 202-512-2022, FAX Number: 202-512-1481, E-Mail: syoung@gpo.gov, or mailing address: U.S. Government Printing Office, Paper Procurement Section, Room A344, STOP: MMPP, Washington, DC, 20401.

The Contracting Officer is the only person authorized to make changes or approve changes in any of the requirements of the contract, and notwithstanding any provisions contained elsewhere in this contract, said authority remains solely with the Contracting Officer. In the event, the contractor makes any changes at the direction of any person other than the Contracting Officer, the change will be considered to have been made without authority and no adjustment will be allowed in the contract price to cover any increase in costs incurred as a result thereof.

CONTRACTING OFFICER'S TECHNICAL REPRESENTATIVE (COTR) DESIGNATION

Ms. Sylvia Subt, Chief Paper & Physical Testing Division, Quality Control & Technical Department, has been designated the Contracting Officer's Technical Representative (COTR) for this contract. She can be reached on Telephone Number: 202-512-0782, FAX Number 202-512-0015, E-Mail: ssibt@gpo.gov, or mailing address: U.S. Government Printing Office, Chief, Paper & Physical Testing Division, Quality Control & Technical Department, Room B502, STOP: QC, Washington, DC, 20401. The COTR is authorized to oversee the contractor's technical efforts to assure that they are in strict accordance with the terms and conditions of the contract. The COTR will also be the primary interface between the contractor and the Contracting Officer on matters pertaining to the contractor's technical efforts. The COTR has the authority to act on all technical matters except contract modifications (change orders), disputes, or termination of the contract, which remains the sole responsibility of the Contracting Officer.

ELECTRONIC FUNDS TRANSFER

The U.S. Government Printing Office now requires the use of Electronic Funds Transfer (EFT) to pay contractors. Your company's payment will be sent to your financial institution via Direct Deposit/Electronic Funds Transfer and automatically credited to your account on the payment date. In order for your company to identify the payment, GPO will include your invoice number, as well as GPO purchase order number, and a payment code in the "addenda" record that will accompany the electronic payment to your financial institution. To sign up for EFT, you must complete Form 3881 - Payment information Form. If you have any questions concerning EFT, contact 202-512-0874, or call 1-800-BILLGPO.

BID BOND

No bid will be considered which is unaccompanied by a bid bond with surety or certified check in the amount of \$5,000 for paper and \$1,000 for envelopes guaranteeing that the bidder, if its bid is accepted, shall execute a bond for the faithful performance thereof with good and sufficient sureties. Checks submitted in lieu of bid bond will be returned to the unsuccessful bidder(s) after award of contracts (approximately two weeks after bid opening). (Bid Bond, page 47-48).

EQUAL MONTHLY SHIPMENTS

Except for lot numbers 90, 92b, 93b, 94, and 95, or individual lots where the estimated quantity is for 108,000 kg (240,000 pounds) or more, or its equivalent in sheets, bids based on equal monthly shipments will be considered, with the Government reserving the right to order up to 30 percent during any three months of the quantity awarded. Qualified bids based on other than equal monthly shipments will not be considered. It is anticipated that shipments of any of the estimated quantities will not be required during the first month of the contract except for those lots with less than 30 day delivery schedules. On individual lots where the estimated quantity is less than 108,000 kg (240,000 pounds), bids based on equal monthly shipments may be rejected.

MILL LETTERS

Each bidder must submit a separate mill letter at or before the time set for opening of bids containing the complete names and mailing addresses, including zip codes, of the manufacturer of the various lots of paper, as well as the converters for the various lots of envelopes, proposed by the bidder. No change shall be made in the name or location of the manufacturer without prior approval by the U. S. Government Printing Office.

However, in the event a bidder inadvertently fails to submit a mill letter with the bid, an additional 72 hours after the time set for opening of bids may be granted. Mill letters must contain accurate and complete information to be considered responsive to the invitation for bids. If a bidder specifies more than one mill for a given lot, in the event, of equal low bids, the bidder will not be eligible for consideration of award as a small business concern or certified-eligible, persistent or substantial labor surplus area concern unless each mill specified meets the requirements for such a determination; otherwise, award will be resolved by the drawing of lots. Both the bidder and the manufacturer must meet the Small Business Administration's requirements to qualify as small business. The penalty for making false statements in bids is prescribed in 18 United States Code 1001.

TRUCKLOAD SHIPMENTS OF XEROGRAPHIC PAPER

For truckload shipments of xerographic paper, lot numbers 269b, 269i, and 270, bidders are required to state in their mill letters the load (weight) capacity of the trucks (40,000 or 44,000 pound truckloads) they intend to utilize to deliver the paper to the destination, and that same capacity trucks shall be used throughout the contract period.

MULTIPLE AWARDS

In the event that the lowest acceptable bidder is unable to furnish the entire quantity of any lot estimated by the Government as necessary to meet its needs, and the quantity offered in their bid is such that it is for consideration in making award of contracts, award to several bidders may be made to insure delivery of the Government's requirements. The Government will purchase its needs first from the low bidder and thereafter in the same manner from the next low bidders. In the event of tie bids for quantities less than that estimated as being required to meet the Government's needs, multiple contracts will be awarded. In such event, the Government will determine by lot the sequence in which orders for its needs shall be placed.

PERFORMANCE BOND

Upon notification of award, each successful contractor will be required to complete a Performance Bond, approved by the contracting officer, payable to the United States of America with two or more individual sureties, or one corporate surety, in a penal sum equal to 10 percent of the estimated amount of the contract, in which the contractor shall covenant and agree that in case the said contractor shall fail to execute and perform any or all of the covenants, stipulations, and agreements of said contract on his part, the said contractor and his sureties shall forfeit and pay to the United States of America any and all damages which the United States may sustain by reason thereof for which the said contractor and his sureties shall be jointly and severally liable to be sued in the name of the United States.

52.228-2 ADDITIONAL BOND SECURITY (Oct 1997)

The contractor shall promptly furnish additional security required to protect the Government and persons supplying labor or materials under this contract if --

- a. Any surety upon any bond, or issuing financial institution for other security, furnished with this contract becomes unacceptable to the Government;
- b. Any surety fails to furnish reports on its financial condition as required by the Government;
- c. The contract price is increased so that the penal sum of any bond becomes inadequate in the opinion of the contracting officer; or
- d. An irrevocable letter of credit (ILC) used as security will expire before the end of the period of required security. If the contractor does not furnish an acceptable extension or replacement ILC, or other acceptable substitute, at least 30 days before an ILC's scheduled expiration, the contracting officer has the right to immediately draw on the ILC.

52.228-11 PLEDGES OF ASSETS (FEB 1992)

- a. Offerors shall obtain from each person acting as an individual surety on a bid guarantee, a performance bond, or a payment bond --
 - (1) Pledge of assets; and
 - (2) Standard Form 28, Affidavit of Individual Surety.
- b. Pledges of assets from each person acting as an individual surety shall be in the form of -
 - (1) Evidence of an escrow account containing cash, certificates of deposit, commercial or Government securities, or other assets described in FAR 28.203-2 (except see 28.203-2(b)(2) with respect to Government securities held in book entry form) and/or;

(2) A recorded lien on real estate. The offeror will be required to provide --

- (i) Evidence of title in the form of a certificate of title prepared by a title insurance company approved by the United States Department of Justice. This title evidence must show fee simple title vested in the surety along with any concurrent owner; whether any real estate taxes are due and payable; and any recorded encumbrances against the property, including the lien filed in favor of the Government as required by FAR 28.203-3(d);
- (ii) Evidence of the amount due under any encumbrance shown in the evidence of title;
- (iii) A copy of the current real estate tax assessment of the property or a current appraisal dated no earlier than 6 months prior to the date of the bond, prepared by a professional appraiser who certifies that the appraisal has been conducted in accordance with the generally accepted appraisal standards as reflected in the Uniform Standards of Professional Appraisal Practice, as promulgated by the Appraisal Foundation (a).

DEFAULT OF CONTRACTOR

If a contractor fails to deliver the paper and/or envelopes within the time specified, or comply with the terms and conditions of the contract, the Government has the right to terminate the contract for default. A new contract will be entered into with the lowest, best, and most responsible bidder for the best interest of the Government among those whose proposals were rejected at the last bid opening or the contracting officer shall advertise for new proposals. During the interval that may occur, the contracting officer may purchase the paper product in the open market, at the lowest market price.

The contractor is liable to the Government for all procurement costs and all increase of cost incurred in procuring the paper and envelopes upon his default.

REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF BIDDERS

CERTIFICATE OF INDEPENDENT PRICE DETERMINATION

a. The bidder certifies that --

- (1) The prices in this bid have been arrived at independently, without, for the purpose of restricting competition, any consultation, communication, or agreement with any other bidder or competitor relating to (i) those prices, (ii) the intention to submit a bid, or (iii) the methods or factors used to calculate the prices bid;
- (2) The prices in this bid have not been and will not be knowingly disclosed by the bidder, directly or indirectly, to any other bidder or competitor before bid opening unless otherwise required by law; and
- (3) No attempt has been made or will be made by the bidder to induce any other concern to submit or not to submit a bid for the purpose of restricting competition.

b. Each signature on the bid is considered to be a certification by the signatory that the signatory --

- (1) Is the person in the bidder's organization responsible for determining the prices being offered in this bid, and that the signatory has not participated and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) above; or

- (2) (i) Has been authorized, in writing, to act as agent for the following principals in certifying that those principals have not participated, and will not participate in any action contrary to subparagraphs (a)(1) through (a)(3) above

[insert full name of person(s) in the bidder's organization responsible for determining the prices offered in this bid, and the title of their position in the offeror's organization];

- (ii) As an authorized agent, does certify that the principals named in subdivision (b)(2)(i) above have not participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) above; and
- (iii) As an agent, has not personally participated, and will not participate, in any action contrary to subparagraphs (a)(1) through (a)(3) above.
- c. If the bidder deletes or modifies subparagraph (a)(2) above, the bidder must furnish with its bid a signed statement setting forth in detail the circumstances of the disclosure.

TAXPAYER IDENTIFICATION

a. Definitions.

Common parent, as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

Taxpayer Identification Number (TIN), as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

- b. All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M, and implementing regulations issued by the IRS. If the resulting contract is subject to the payment reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.
- c. The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.
- d. Taxpayer Identification Number (TIN).
- TIN:
- TIN has been applied for _____
- TIN is not required because: _____
- Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the U. S. and does not have an office or place of business or a fiscal paying agent in the U. S.;
- Offeror is an agency or instrumentality of a foreign government;

-- Offeror is an agency or instrumentality of the Federal Government.

e. Type of organization.

- Sole proprietorship;
- Partnership;
- Corporate entity (not tax-exempt);
- Corporate entity (tax-exempt);
- Government entity (Federal, State, or local);
- Foreign government;
- International organization per 26 CFR 1.6049-4;
- Other_____

f. Common parent.

-- Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.

-- Name and TIN of common parent:

Name_____

TIN_____

WOMEN-OWNED BUSINESS

a. Representation. The offeror represents that it (___) is, (___) is not a women-owned business concern.

b. Definition. "Women-owned business concern," as used in this provision, means a concern which is at least 51 percent owned by one or more women; or in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and whose management and daily business operations are controlled by one or more women.

CERTIFICATION REGARDING DEBARMENT, SUSPENSION, PROPOSED DEBARMENT, AND OTHER RESPONSIBILITY MATTERS

a. (1) The offeror certifies, to the best of its knowledge and belief, that --

(i) The Offeror and/or any of its Principals --

(A) Are (___) are not (___) presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency;

(B) Have (___) have not (___), within a 3-year period preceding this offer, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) contract or subcontract; violation of Federal or state antitrust statutes relating to the submission of offers; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, or receiving stolen property; and

(C) Are () are not () presently indicted for, or otherwise criminally or civilly charged by a governmental entity with, commission of any of the offenses enumerated in subdivision (a)(1)(i)(B) of this provision.

(ii) The offeror has () has not (), within a 3-year period preceding this offer, had one or more contracts terminated for default by any Federal agency.

(2) Principals, for the purposes of this certification, means officers; directors; owners; partners; and, persons having primary management or supervisory responsibilities within a business entity (e.g., general manager; plant manager; head of a subsidiary, division, or business segment, and similar positions). This certification concerns a matter within the jurisdiction of an agency of the United States and the making of a false, fictitious, or fraudulent certification may render the maker subject to prosecution under section 1001, title 18, U. S. C.

- b. The offeror shall provide immediate written notice to the contracting officer if, at any time prior to contract award, the offeror learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- c. A certification that any of the items in paragraph (a) of this provision exists will not necessarily result in withholding of an award under this solicitation. However, the certification will be considered in connection with a determination of the offeror's responsibility. Failure of the offeror to furnish a certification or provide such additional information as requested by the contracting officer may render the offeror nonresponsible.
- d. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by paragraph (a) of this provision. The knowledge and information of an offeror is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- e. The certification in paragraph (a) of this provision is a material representation of fact upon which reliance was placed when making award. If it is later determined that the offeror knowingly rendered an erroneous certification, in addition to other remedies available to the Government, the contracting officer may terminate the contract resulting from this solicitation for default.

SMALL DISADVANTAGED BUSINESS STATUS

a. General. This provision is used to assess an offeror's small disadvantaged business status for the purpose of obtaining a benefit on this solicitation. Status as a small business and status as a small disadvantaged business for general statistical purposes is covered by the provision at FAR 52.219-1, Small Business Program Representation.

b. Representations.

(1) General. The offeror represents, as part of its offer, that it is a small business under the size standard applicable to this acquisition; and either --

() (i) It has received certification by the Small Business Administration as a small disadvantaged business concern consistent with 13 CFR 124, Subpart B; and

(A) No material change in disadvantaged ownership and control has occurred since its certification;

(B) Where the concern is owned by one or more disadvantaged individuals, the net worth of each individual upon whom the certification is based does not exceed \$750,000 after taking into account the applicable exclusions set forth at 13 CFR 124.104(c)(2); and

(C) It is listed, on the date of this representation, on the register of small disadvantaged business concerns maintained by the Small Business Administration; or

(___) (ii) It has submitted a completed application to the Small Business Administration or a Private Certifier to be certified as a small disadvantaged business concern in accordance with 13 CFR 124, Subpart B, and a decision on that application is pending, and that no material change in disadvantaged ownership and control has occurred since its application was submitted.

(2) (___) For Joint Ventures. The offeror represents, as part of its offer, that it is a joint venture that complies with the requirements of 13 CFR 124.1002(f) and that the representation in paragraph (b)(1) of this provision is accurate for the small disadvantaged business concern that is participating in the joint venture. [The offeror shall enter the name of the small disadvantaged business concern that is participating in the joint venture:_____.]

c. Penalties and Remedies. Anyone who misrepresents any aspects of the disadvantaged status of a concern for the purposes of securing a contract or subcontract shall:

(1) Be punished by imposition of a fine, imprisonment, or both;

(2) Be subject to administrative remedies, including suspension and debarment; and

(3) Be ineligible for participation in programs conducted under the authority of the Small Business Act.

PROHIBITION OF SEGREGATED FACILITIES

a. Segregated facilities, as used in this clause, means any waiting rooms, work areas, rest rooms and wash rooms, restaurants and other eating areas, time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees, that are segregated by explicit directive or are in fact segregated on the basis of race, color, religion, sex, or national origin because of written or oral policies or employee custom. The term does not include separate or single-user rest rooms or necessary dressing or sleeping areas provided to assure privacy between the sexes.

b. The contractor agrees that it does not and will not maintain or provide for its employees any segregated facilities at any of its establishments, and that it does not and will not permit its employees to perform their services at any location under its control where segregated facilities are maintained. The contractor agrees that a breach of this clause is a violation of the Equal Opportunity clause in this contract.

c. The contractor shall include this clause in every subcontract and purchase order that is subject to the Equal Opportunity clause of this contract.

CLEAN AIR AND WATER CERTIFICATION

The offeror certifies that --

- a. Any facility to be used in the performance of this proposed contract is (___), is not (___) listed on the Environmental Protection Agency (EPA) List of Violating Facilities;
- b. The offeror will immediately notify the contracting officer, before award, of the receipt of any communication from the Administrator, or a designee, of the EPA, indicating that any facility that the offeror proposes to use for the performance of the contract is under consideration to be listed on the EPA List of Violating Facilities; and
- c. The offeror will include a certification substantially the same as this certification, including this paragraph (c), in every nonexempt subcontract.

RECOVERED MATERIAL CERTIFICATION

As required by the Resource Conservation and Recovery Act of 1976 (42 U.S.C. 6962(c)(3)(A)(i)), the offeror certifies, by signing this offer, that the percentage of recovered materials to be used in the performance of the contract will be at least the amount required by the applicable contract specifications.

CERTIFICATION OF TOXIC CHEMICAL RELEASE REPORTING

- a. Submission of this certification is a prerequisite for making or entering into this contract imposed by Executive Order 12969, August 8, 1995.
- b. By signing this offer, the offeror certifies that --
 - (1) As the owner or operator of facilities that will be used in the performance of this contract that are subject to the filing and reporting requirements described in section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) (42 U.S.C. 11023) and section 6607 of the Pollution Prevention Act of 1990 (PPA) (42 U.S.C. 13106), the offeror will file and continue to file for such facilities for the life of the contract the Toxic Chemical Release Inventory Form (Form R) as described in sections 313(a) and (g) of EPCRA and section 6607 of PPA; or
 - (2) None of its owned or operated facilities to be used in the performance of this contract is subject to the Form R filing and reporting requirements because each such facility is exempt for at least one of the following reasons: (Check each item that is applicable.)
 - (___) (i) The facility does not manufacture, process, or otherwise use any toxic chemicals listed under section 313(c) of EPCRA, 42 U.S.C. 11023(c);
 - (___) (ii) The facility does not have 10 or more full-time employees as specified in section 313(b)(1)(A) of EPCRA, 42 U.S.C. 11023(b)(1)(A);
 - (___) (iii) The facility does not meet the reporting thresholds of toxic chemicals established under section 313(f) of EPCRA, 42 U.S.C. 11023(f) (including the alternate thresholds at 40 CFR 372.27, provided an appropriate certification form has been filed with EPA);

() (iv) The facility does not fall within Standard Industrial Classification Code (SIC) designations 20 through 39 as set forth in Section 19.102 of the Federal Acquisition Regulation; or

() (v) The facility is not located within any State of the United States, the District of Columbia, the Commonwealth of Puerto Rico, Guam, American Samoa, the U.S. Virgin Islands, the Northern Mariana Islands, or any other territory or possession over which the United States has jurisdiction.

BUY AMERICAN CERTIFICATE

The offeror certifies that each end product, except those listed below, is a domestic end product (as defined in the clause entitled Buy American Act -- Supplies), and that components of unknown origin are considered to have been mined, produced, or manufactured outside the United States.

Excluded End Products

(List as necessary)

Country of Origin

Offerors may obtain from the contracting officer lists of articles, materials, and supplies excepted from the Buy American Act.

PLACE OF PERFORMANCE

- a. The offeror or respondent, in the performance of any contract resulting from this solicitation, () intends, () does not intend [check applicable block] to use one or more plants or facilities located at a different address from the address of the offeror or respondent as indicated in this proposal or response to request for information.
- b. If the offeror or respondent checks "intends" in paragraph (a) of this provision, it shall insert in the following spaces the required information:

Place of Performance Name and Address of Owner _____

(Street Address, City, and Operator of the Plant _____

State, County, Zip Code) or Facility if Other than _____

Offeror or Respondent _____

BID BOND <i>(See instruction on reverse)</i>	DATE BOND EXECUTED <i>(Must not be later than bid opening date)</i>	OMB NO.: 9000-0045
--	---	--------------------

Public reporting burden for this collection of information is estimated to average 25 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the FAR Secretariat (MVR), Federal Acquisition Policy Division, GSA, Washington, DC 20405.

PRINCIPAL <i>(Legal name and business address)</i>	TYPE OF ORGANIZATION <i>("X" one)</i> <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> JOINT VENTURE <input type="checkbox"/> CORPORATION STATE OF INCORPORATION
--	--

SURETY(IES) *(Name and business address)*

PENAL SUM OF BOND					BID IDENTIFICATION	
PERCENT OF BID PRICE	AMOUNT NOT TO EXCEED				BID DATE	INVITATION NO.
	MILLION(S)	THOUSAND(S)	HUNDRED(S)	CENTS	FOR <i>(Construction, Supplies, or Services)</i>	

OBLIGATION:

We, the Principal and Surety(ies) are firmly bound to the United States of America (hereinafter called the Government) in the above penal sum. For payment of the penal sum, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally. However, where the Sureties are corporations acting as co-sureties, we, the Sureties, bind ourselves in such sum "jointly and severally" as well as "severally" only for the purpose of allowing a joint action or actions against any or all of us. For all other purposes, each Surety binds itself, jointly and severally with the Principal, for the payment of the sum shown opposite the name of the Surety. If no limit of liability is indicated, the limit of liability is the full amount of the penal sum.

CONDITIONS:

The Principal has submitted the bid identified above.

THEREFORE:

The above obligation is void if the Principal - (a) upon acceptance by the Government of the bid identified above, within the period specified therein for acceptance (sixty (60) days if no period is specified), executes the further contractual documents and gives the bond(s) required by the terms of the bid as accepted within the time specified (ten (10) days if no period is specified) after receipt of the forms by the principal; or (b) in the event of failure to execute such further contractual documents and give such bonds, pays the Government for any cost of procuring the work which exceeds the amount of the bid.

Each Surety executing this instrument agrees that its obligation is not impaired by any extension(s) of the time for acceptance of the bid that the Principal may grant to the Government. Notice to the surety(ies) of extension(s) are waived. However, waiver of the notice applies only to extensions aggregating not more than sixty (60) calendar days in addition to the period originally allowed for acceptance of the bid.

WITNESS:

The Principal and Surety(ies) executed this bid bond and affixed their seals on the above date.

PRINCIPAL				
SIGNATURE(S)	1.	2.	3.	<i>Corporate Seal</i>
	<i>(Seal)</i>	<i>(Seal)</i>	<i>(Seal)</i>	
NAME(S) & TITLE(S) <i>(Typed)</i>	1.	2.	3.	

INDIVIDUAL SURETY(IES)		
SIGNATURE(S)	1.	2.
	<i>(Seal)</i>	<i>(Seal)</i>
NAME(S) <i>(Typed)</i>	1.	2.

CORPORATE SURETY(IES)					
SURETY A	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) <i>(Typed)</i>	1.	2.		

SURETY B	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		
SURETY C	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		
SURETY D	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		
SURETY E	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		
SURETY F	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		
SURETY G	NAME & ADDRESS		STATE OF INC.	LIABILITY LIMIT (\$)	<i>Corporate Seal</i>
	SIGNATURE(S)	1.	2.		
	NAME(S) & TITLE(S) (Typed)	1.	2.		

INSTRUCTIONS

1. This form is authorized for use when a bid guaranty is required. Any deviation from this form will require the written approval of the Administrator of General Services.
2. Insert the full legal name and business address of the Principal in the space designated "Principal" on the face of the form. An authorized person shall sign the bond. Any person signing in a representative capacity (e.g., an attorney-in-fact) must furnish evidence of authority if that representative is not a member of the firm, partnership, or joint venture, or an officer of the corporation involved.
3. The bond may express penal sum as a percentage of the bid price. In these cases, the bond may state a maximum dollar limitation (e.g., (e.g., 20% of the bid price but the amount not to exceed _____ dollars).
4. (a) Corporations executing the bond as sureties must appear on the Department of the Treasury's list of approved sureties and must act within the limitation listed therein. where more than one corporate surety is involved, their names and addresses shall appear in the spaces (Surety A, Surety B, etc.) headed "CORPORATE SURETY(IES)." In the space designed "SURETY(IES)" on the face of the form, insert only the letter identification of the sureties.

(b) Where individual sureties are involved, a completed Affidavit of Individual surety (Standard Form 28), for each individual surety, shall accompany the bond. The Government may require the surety to furnish additional substantiating information concerning its financial capability.
5. Corporations executing the bond shall affix their corporate seals. Individuals shall execute the bond opposite the word "Corporate Seal"; and shall affix an adhesive seal if executed in Maine, New Hampshire, or any other jurisdiction requiring adhesive seals.
6. Type the name and title of each person signing this bond in the space provided.
7. In its application to negotiated contracts, the terms "bid" and "bidder" shall include "proposal" and "offeror."

UNITED STATES GOVERNMENT PRINTING OFFICE
PAPER PROCUREMENT SECTION
WASHINGTON, DC 20401
BID AND ACCEPTANCE

Date _____

To: Materials Management Service
Paper Procurement Section, MMPP

United States Government Printing Office
Washington, DC 20401

Bid Mail received in the Government Printing Office after the designate bid opening hour will not be considered except under certain unusual circumstances which may justify the acceptance of bids received after bid opening hour, but in no case unless the postmark cancellation stamp is made by the Postal Service (and not by the bidder) and shows the bid was postmarked in sufficient time to reach this office prior to the date and time specified for opening of bid. Telephone or telegraph bids will not be considered unless specifically permitted by the specifications of this invitation to bid.

Return this form correctly filled out, with firm name and endorsed by individuals signing, otherwise your bid will not be considered.
The Public Printer reserves the right to reject any or all bids and to waive defects or informalities.

Sir/Madam:

As per your inquiry of _____, 20____, we submit bids herewith based on delivery F.O.B. U.S. Government Printing Office free of charge to the Government, unless otherwise specified.

Bidders must submit a separate mill letter with the name and address of manufacture for each item.

Bidder represents that he ☐ is, ☐ is not, a small business concern and that the product he/she proposes to furnish ☐ will, ☐ will not, be manufactured or produced by a small business concern, as defined in Code of Federal Regulation: Title 13, Part 121, as amended.

Bidder hereby acknowledges amendment(s) number(ed)_____.

Bidder certifies, unless otherwise stated, that the product he will deliver will be of domestic manufacture or origin as defined in the Buy American Act, as amended.

The undersigned offers and agrees, if this bid be accepted, to furnish any or all of the items upon which prices are bid, at the price set opposite each item, in exact accordance with specifications unless exceptions are specifically notated by the lot number. This offer includes the specifications contained in the Government Paper Specification Standards (No. 11) and the Paper Procurement Section Contract Terms and Conditions for Paper and Envelopes for the six-months contract term beginning October 1, 2000.

COMPANY SUBMITTING BID

PERSON AUTHORIZED TO BID

Company_____

Name_____

Address_____

Title_____

City_____ State_____ Zip_____

Signature_____

Telephone Number_____

Date_____

Facsimile Number_____

E-Mail Address_____

ACCEPTANCE BY THE GOVERNMENT

THE ABOVE BID APPROVED:

Approval of Chief, Paper Procurement Section

Approval of Contracting Officer.

Figured, totaled, and checked by _____
(Sign surname only, in ink)

Date_____

Date _____